

SAFETY DATA SHEET OSMOS SOFT WATER DISHWASHER DETERGENT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name OSMOS SOFT WATER DISHWASHER DETERGENT

Internal identification OSM-SWDD-2X5, OSM-SWDD-10, OSM-SWDD-20

Container size 2x5L, 10L, 20L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct via 111

(UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318

Not Classified **Environmental hazards**

2.2. Label elements

Hazard pictograms



Signal word Danger

H314 Causes severe skin burns and eye damage. Hazard statements

Revision date: 27/09/2021 Revision: 6 Supersedes date: 02/08/2021

OSMOS SOFT WATER DISHWASHER DETERGENT

Precautionary statements P260 Do not breathe vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

Contains SODIUM HYDROXIDE

Supplementary precautionary

P264 Wash contaminated skin thoroughly after handling.

statements

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE 10-30%

CAS number: 1310-73-2 EC number: 215-185-5

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

(1-hydroxyethylidene)bisphosphonic acid, sodium salt

1-5%

CAS number: 29329-71-3 EC number: 249-559-4

Classification

Acute Tox. 4 - H302 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Give

milk instead of water if readily available. Get medical attention.

Skin contact After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water. Get medical attention if symptoms are severe or persist.

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids

wide apart. Continue to rinse. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion Corrosive. May be harmful if swallowed.

Revision date: 27/09/2021 Revision: 6 Supersedes date: 02/08/2021

OSMOS SOFT WATER DISHWASHER DETERGENT

Skin contact Causes severe burns.

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazardsThermal decomposition or combustion products may include the following substances:

Corrosive gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable

distance.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may

become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment. The product may affect the acidity (pH) of water

which may have hazardous effects on aquatic organisms.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Absorb in vermiculite, dry sand or

earth and place into containers. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Discharge of small

quantities to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Handle and open container with care. Avoid contact with skin,

eyes and clothing.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Store at temperatures between 0°C and 40°C.

Storage class Chemical storage. Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment that provides appropriate eye and face

protection should be worn.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Wear protective

gloves made of the following material: Rubber (natural, latex). Nitrile rubber. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist

degradation.

Hygiene measures Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes

contaminated.

Respiratory protection No specific requirements are anticipated under normal conditions of use. Respiratory

protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Almost odourless.

pH pH (concentrated solution): >13

Flash point Not applicable.

Relative density 1.165 - 1.185 @ 20°C

Soluble in water.

Auto-ignition temperature Not applicable.

Decomposition Temperature >120°C

Viscosity Not applicable.

Explosive properties Not applicable.

Revision date: 27/09/2021 Revision: 6 Supersedes date: 02/08/2021

OSMOS SOFT WATER DISHWASHER DETERGENT

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 26 - 28

Volatile organic compound This product contains a maximum VOC content of <0.1 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The reactivity data for this product will be typical of those for the following class of materials:

Strong alkalis.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid No specific requirements are anticipated under normal conditions of use. Avoid contact with

acids.

10.5. Incompatible materials

Materials to avoid Chemically-active metals.

10.6. Hazardous decomposition products

Hazardous decomposition

No known hazardous decomposition products.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 17,006.8

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Extreme pH ≥ 11.5

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation Considered to be a low inhalation hazard at normal workplace temperatures. May cause

irritation.

Ingestion Corrosive. May be harmful if swallowed.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage.

Route of exposure Skin and/or eye contact

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic

organisms.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability The product contains mainly inorganic substances which are not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product contains substances which are water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760

UN No. (IMDG) 1760

UN No. (ICAO) 1760

UN No. (ADN) 1760

14.2. UN proper shipping name

Proper shipping name

CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

(ADR/RID)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019 (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 27/09/2021

Revision 6

Supersedes date 02/08/2021

SDS number 21284

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.