

NORSAN UK
12 GATWICK DISTRIBUTION CENTRE
CRAWLEY
WEST SUSSEX
RH10 9RW

TEL: 0845 340 3230 FAX: 0845 034 3239

EMAIL: sales@norsan.co.uk
WEB: www.norsan.co.uk



MATERIAL SAFETY DATA SHEET PRODUCT INFORMATION

POWER BACTERICIDAL

SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

NORSAN POWER BACTERICIDAL

Concentrated Odourless Sanitising Surface Cleaner / Degreaser

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

NORSAN UK 12 GATWICK DISTRIBUTION CENTRE CRAWLEY WEST SUSSEX RH10 9RW

TEL: 0845 340 3230 | EMAIL: msds@norsan.co.uk

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE/MIXTURE AND USES ADVISED AGAINST

General Description:

A powerful, multi-purpose, odourless sanitiser cleaner and degreaser for the effective removal of most soils and grease typically found in catering and food preparation environments. Passes the requirements of BS EN 13704 for sporicidal activity at a dilution of 1:40. Passes the requirements of BS EN 1276 for bactericidal activity at a dilution of 1:20. Phosphate free and biodegradable.

Directions For Use:

To make one 500ML trigger spray dose 25ML and fill to top with fresh clean water, spray onto desired surface and wipe down using a dedicated cloth. For general bucket cleaning (depending on level of dirt) dilute 1:15/1:20 and apply sparingly to desired surface. A higher concentration of chemical may be used where soiling is stubborn.

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION UNDER CLP (EC) NO 1272/2008 [EU-GHS/CLP]

PHYSICAL AND CHEMICAL HAZARDS

HUMAN HEALTH

ENVIRONMENT

CLASSIFICATION UNDER CHIP (67/548/EEC OR 1999/45/EEC)

Not classified.

Skin. Irrit. 2, Eye. Irrit. 2

Not classified.

xi;R36/38

2.2 LABEL ELEMENTS

PICTOGRAM CODE

PICTOGRAM

SIGNAL WORD

GHS07



WARNING

HAZARD STATEMENTS

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

PRECAUTIONARY STATEMENTS

PREVENTION

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

STORAGE

P102 - Keep out of reach of children.

RESPONSE

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

insina.

P332+313: If skin irritation occurs: Get medical advice/attention.

DISPOSAL

P501 - Dispose of contents/container to licensed waste disposal site.

2.3 OTHER HAZARDS

EUROPEAN UNION (DANGEROUS SUBSTANCES DIRECTIVE)

EUH none

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

SUBSTANCE	CAS. NO	EINECS No.	HAZARD	RANGE
Alcohol Ethoxylate	68439-45-2	Polymer	H302, H318	<5%
Benzyl C10-16 alkyldimethyl, chlorides	68424-85-1	270-325-2	H302, H314, H400	<5%
Sodium metasilicate	6834-92-0	229-912-9	H290, H314, H318	<5%
Pentasodium Diethylenetriaminepentaacetate	140-01-2	205-391-3	H332	<5%

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE Remove contaminated clothing and wash before reuse.

AFTER INHALATION

Move the exposed person(s) to fresh supply of air. Get medical attention if

discomfort continues.

AFTER CONTACT WITH SKIN

Wash from skin immediately. If skin becomes sore or inflamed seek

medical attention.

AFTER CONTACT WITH EYESIrrigate with water for 10 to 15 minutes until irritation subsides and seek

medical attention.

AFTER INGESTIONIf conscious, give plenty of water to drink, do not induce vomiting, obtain

medical attention immediately.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

The severity of symptoms described will vary depending on concentration and length of exposure.

INHALATION May cause pain in respiratory system, sneezing.

CONTACT WITH SKIN Soreness and reddening of skin.

CONTACT WITH EYES Painful irritation, reddening and watering of eyes.

INGESTION May cause pain in digestive tract.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically. Use water to neutralize product in the case of skin, eye contact or ingestion.

SECTION 5: FIREFIGHTING MEASURES

5.1 SUITABLE EXTINGUISHING MEDIA

This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

May produce oxides of carbon, nitrogen, sodium and sulphur.

5.3 ADVICE FOR FIRE FIGHTERS

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Always use appropriate PPE. Avoid breathing dust/vapours (if any) and ensure adequate ventilation. Cordon off area to other personnel.

6.2 ENVIRONMENTAL PRECAUTION

Do not allow to enter surface water drains, soil/subsoil. Spillages or discharges into water course must be reported immediately to environment agency.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Absorb with sand or binder and dispose of according to local regulations. Small spillages may be flushed to a foul drain.

6.4 REFERENCE TO OTHER SECTIONS

See Section 8 and 13 for more information on exposure and disposal.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store only in original containers out of reach of children. Storage temperature should be between 5°C and 30°C.

7.3 SPECIFIC END USE(S)

See section 1.2 and label.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Contains no substances with known occupational exposure limits.

8.2 EXPOSURE CONTROLS

Do not eat, drink or smoke whilst working and wash hands after use.

PICTOGRAM(S)



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOUR Odourless green/yellow liquid (Method: QP22).

PH LEVEL 12-13 (Method: QP03).

FLAMMABLE/FLASH POINT Not flammable.

SOLUBILITY Soluble/dispersible in water.

VISCOSITY As Water @20'C (Method: QP04).

9.2 OTHER INFORMATION

No information available.

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

Not known to react with other chemicals.

10.2 CHEMICAL STABILITY

No decomposition if stored and applied as directed.

10.3 POSSIBILITY OF HAZARDOUS REACTION

Hazardous reactions will not occur under normal transport or storage conditions.

10.4 CONDITIONS TO AVOID

None known.

10.5 INCOMPATIBLE MATERIALS

Strong acids. Strong oxidising agents. May react with acids and fluorine gas, may react with Aluminium, Zinc, Tin and their alloys liberating hazardous fumes.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

INHALATION May cause pain in respiratory system, sneezing.

CONTACT WITH SKIN Soreness and reddening of skin.

CONTACT WITH EYES Painful irritation, reddening and watering of eyes.

INGESTION May cause pain in digestive tract.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

12.1 TOXICITY

No aquatic testing has been carried out for this product.

12.2. PERSISTENCE AND DEGRADABILITY

Product regarded as biodegradable.

12.3. BIOACCUMULATIVE POTENTIAL

Product regarded as biodegradable.

12.4. MOBILITY IN SOIL

Soluble in water.

12.5. RESULTS OF PBT AND VPVB ASSESSMENT

This substance is not identified as a PBT substance.

12.6. OTHER ADVERSE EFFECTS

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

This product is not classified as hazardous waste under the special waste (amendment) regulations (SI 1996/2019). For disposal contact a licensed waste management company. Rinse out container at least twice in water and recycle if facilities exist or dispose of as commercial waste. European waste catalogue: 20 01 29.

SECTION 14: TRANSPORT INFORMATION

14.1. UN NUMBER

14.2. UN PROPER SHIPPING NAME

NORSAN POWER BACTERICIDAL

14.3. TRANSPORT HAZARD CLASS(ES)

14.4. PACKING GROUP

14.6. SPECIAL PRECAUTIONS FOR USER

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

SECTION 15: REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

STATUTORY INSTRUMENTS Classified under GHS/CLP- Regulation (EC) No 1272/2008 classification,

labelling & packaging of substances & mixtures.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for

Supply. Safety Data Sheets for Substances and Preparations.

GUIDANCE NOTES

ECHA Guidance on the application of CLP criteria (Version 4: November 2013). ECHA Guidance on the compilation of safety data sheets (Version

2.1: February 2014)

15.2. CHEMICAL SAFETY ASSESSMENT

No chemical safety assessment has been carried out as product is a mixture.

SECTION 16: OTHER INFORMATION

16.1. REVISION COMMENTS

This product is now using classification from GHS/CLP- Regulation (EC) No 1272/2008 classification and labelling & packaging of. The risk statements listed below relate to the raw materials in the product not the product itself.

RISK PHRASES IN FULL (CHIP)R36/38 - Irritating to eyes and skin.

HAZARD STATEMENT IN FULL (CLP)H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

H314 - Causes severe skin burns and eye damage.

H332 - Harmful if inhaled.

H400 - Very toxic to aquatic life.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvements, we reserve the right to amend any specification without notice.