## **MATERIAL SAFETY DATA SHEET PRODUCT INFORMATION**

# **BRI NON-BIO POWDER**

## SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## **1.1 PRODUCT IDENTIFIER**

**BRI NON-BIO** Concentrated Laundry Powder

#### **1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

NORSAN UK 12 GATWICK DISTRIBUTION CENTRE CRAWLEY WEST SUSSEX **RH10 9RW** 

TEL: 0845 340 3230 | EMAIL: msds@norsan.co.uk

## **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION UNDER CLP (EC) NO 1272/2008 [EU-GHS/CLP]

> PHYSICAL AND CHEMICAL HAZARDS HUMAN HEALTH

#### **ENVIRONMENT**

**CLASSIFICATION UNDER CHIP** (67/548/EEC OR 1999/45/EEC)

**2.2 LABEL ELEMENTS** 

**PICTOGRAM CODE** 

PICTOGRAM

Skin Corr. 1b - H314 Not classified.



GHS05

DANGER

**SIGNAL WORD** 

**HAZARD STATEMENTS** 

H314 - Causes severe skin burns and eye damage.

MATERIAL SAFETY DATA SHEET PRODUCT INFORMATION - PAGE 1

## GHS/CLP 08/2019 REVISION 1.1

Not classified.

**1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE/MIXTURE** AND USES ADVISED AGAINST

#### **General Description:**

A concentrated laundry powder that contains a good balance of tough action performance cleaning agents. This powerful formulation has the ability to achieve very high standards of processing giving excellent results.

#### **Directions For Use:**

Do not use more powder than is recommended and always wash according to the instructions on the label. Articles which may run should be washed quickly and separately. Set wash temperature between 30°C - 70°C. Per nominal 4-5KG load in medium water conditions use 100G (2/3 of a cup) for regular soiling. For very heavy soiling use up to a maximum of 300G. For hand washing use 100G making sure all powder is fully dissolved in approximately 15LT sink of water. Always rinse clothes thoroughly after washing. Do not use on very delicate items such as silk or cashmere wool.

#### **PRECAUTIONARY STATEMENTS**

PREVENTION P260 - Do not breath dust. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

STORAGE P102 - Keep out of reach of children.

#### RESPONSE

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+361+353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 If eye irritation persists: Get medical advice/attention.

DISPOSAL P501 - Dispose of contents/container in accordance with local regulations.

#### 2.3 OTHER HAZARDS

EUROPEAN UNION (DANGEROUS SUBSTANCES DIRECTIVE)

EUH none

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **3.1 MIXTURES**

SUBSTANCE	CAS. NO	EINECS No.	HAZARD	RANGE
Sodium Carbonate	497-19-8	207-838-8	H319	<20%
Sodium Metasilicate Pentahydrate	10213-79-3	229-912-9	H290, H314, H318, H335	5-15%
Sodium Dodeccyl Benzene Sulphonate	25155-30-0	246-680-4	H302, H315, H318	<1%
Parfum'			H317, H411	<1%

## **SECTION 4: FIRST AID MEASURES**

#### **4.1 DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	Remove contaminated clothing and wash before reuse.
AFTER INHALATION	Move the exposed person(s) to fresh supply of air. Get medical attention if discomfort continues.
AFTER CONTACT WITH SKIN	Wash from skin immediately. If skin becomes sore or inflamed seek medical attention.
AFTER CONTACT WITH EYES	Irrigate with water for 10 to 15 minutes until irritation subsides and seek medical attention.
AFTER INGESTION	Obtain medical attention immediately. If conscious, give plenty of water to drink, do not induce vomiting.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

The severity of symptoms described will vary depending on concentration and length of exposure.

INHALATION	Possible irritation of throat, nose and airway.
CONTACT WITH SKIN	Skin irritation.
CONTACT WITH EYES	Possible serious eye damage.
INGESTION	Irritation, possible burns to throat mouth and stomach.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically. Use water to neutralize product in the case of skin, eye contact or ingestion.

#### **SECTION 5: FIREFIGHTING MEASURES**

## **5.1 SUITABLE EXTINGUISHING MEDIA**

This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

When heated in the case of fire, harmful or toxic gases may be produced.

#### **5.3 ADVICE FOR FIRE FIGHTERS**

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Always use appropriate PPE. Avoid breathing dust/vapours (if any) and ensure adequate ventilation. Cordon off area to other personnel.

#### **6.2 ENVIRONMENTAL PRECAUTION**

Do not allow to enter surface water drains, soil/subsoil. Spillages or discharges into water course must be reported immediately to environment agency.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Absorb with sand or binder and dispose of according to local regulations. Small spillages brush or vacuum up taking care not to create excessive dust.

#### **6.4 REFERENCE TO OTHER SECTIONS**

See Section 8 and 13 for more information on exposure and disposal.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

#### 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store only in original containers out of reach of children. Storage temperature should be between 5°C and 30°C.

#### 7.3 SPECIFIC END USE(S)

See section 1.2 and label.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **8.1 CONTROL PARAMETERS**

Sodium Carbonate DNELs 10mg/m3, Sodium Metasilicate DNELs 1.55mg/m3, WEL TWA - 8 Hrs, STEL - 15 Min. SUBTILISIN 0,00004 mg/m3.

#### **8.2 EXPOSURE CONTROLS**

Do not eat, drink or smoke whilst working and wash hands after use.

#### PICTOGRAM(S)



WEAR SUITABLE WEAR SUITABLE EYE AVOID BREATHING HAND PROTECTION PROTECTION IN DUST

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOUR	White granular powder with coloured speckles and pleasant odour.	
PH LEVEL	10-11	
FLAMMABLE/FLASH POINT	Not flammable.	
SOLUBILITY	Soluble/dispersible in water.	
RELATIVE DENSITY	1.1	
9.2 OTHER INFORMATION		

No information available.

### **MATERIAL SAFETY DATA SHEET PRODUCT INFORMATION - PAGE 3**

## SECTION 10: STABILITY AND REACTIVITY

#### **10.1 REACTIVITY**

Not known to react with other chemicals.

**10.2 CHEMICAL STABILITY** 

No stability concerns.

**10.3 POSSIBILITY OF HAZARDOUS REACTION** 

None known.

**10.4 CONDITIONS TO AVOID** 

Avoid excessive heat for prolonged periods of time.

**10.5 INCOMPATIBLE MATERIALS** 

None known.

#### **10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

When heated toxic and corrosive vapours may be formed.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **11.1. INFORMATION ON TOXICOLOGICAL EFFECTS**

INHALATION	Possible irritation of throat, nose and airway.
CONTACT WITH SKIN	Skin irritation.
CONTACT WITH EYES	Possible serious eye damage.
INGESTION	Irritation, possible burns to throat mouth and stomach.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### ECOTOXICITY

Not regarded as dangerous for the environment.

#### **12.1 TOXICITY**

No aquatic testing has been carried out for this product.

**12.2. PERSISTENCE AND DEGRADABILITY** 

Product regarded as biodegradable.

#### **12.3. BIOACCUMULATIVE POTENTIAL**

Product regarded as biodegradable.

**12.4. MOBILITY IN SOIL** 

Soluble in water.

#### 12.5. RESULTS OF PBT AND VPVB ASSESSMENT

This substance is not identified as a PBT substance.

**12.6. OTHER ADVERSE EFFECTS** 

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **13.1. WASTE TREATMENT METHODS**

This product is not classified as hazardous waste under the special waste (amendment) regulations (SI 1996/2019). For disposal contact a licensed waste management company. Rinse out container at least twice in water and recycle if facilities exist or dispose of as commercial waste. European waste catalogue: 20 01 29.

## **SECTION 14: TRANSPORT INFORMATION**

## 14.1. UN NUMBER

**14.2. UN PROPER SHIPPING NAME** 

**BRI NON-BIO** 

14.3. TRANSPORT HAZARD CLASS(ES)

#### 14.4. PACKING GROUP

#### **14.5. ENVIRONMENTAL HAZARDS**

#### **14.6. SPECIAL PRECAUTIONS FOR USER**

No information.

#### 14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

No information.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

STATUTORY INSTRUMENTS	Classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.
APPROVED CODE OF PRACTICE	Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.
GUIDANCE NOTES	ECHA Guidance on the application of CLP criteria (Version 4: November 2013). ECHA Guidance on the compilation of safety data sheets (Version 2.1: February 2014)

#### **15.2. CHEMICAL SAFETY ASSESSMENT**

No chemical safety assessment has been carried out as product is a mixture.

#### **SECTION 16: OTHER INFORMATION**

#### **16.1. REVISION COMMENTS**

This product is now using classification from GHS/CLP- Regulation (EC) No 1272/2008 classification and labelling & packaging of. The risk statements listed below relate to the raw materials in the product not the product itself.

HAZARD STATEMENT IN FULL (CLP)H290 - May be corrosive to metals.H302 - Harmful if swallowed.H314 - Causes severe skin burns and eye damage.H315 - Causes skin irritation.H318 - Causes serious eye damage.H319 - Causes serious eye irritation.H319 - Causes serious eye irritation.H335 - May cause allergy or asthma symptoms or breathing difficulties if<br/>inhaled.H335 - May cause respiratory Irritation.

#### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvements, we reserve the right to amend any specification without notice.