

SAFETY DATA SHEET ENVIROLOGICAL CITRIC TOILET CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ENVIROLOGICAL CITRIC TOILET CLEANER

Internal identification 058178, 058189

Container size 2x5L, 6x750ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Toilet cleaner and descaler.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification (EC 1272/2008	<u>)</u>	
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
Environmental hazards	Aquatic Chronic 3 - H412	
2.2. Label elements		
Hazard pictograms		
Signal word	Warning	
Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.	

Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention.
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling. P321 Specific treatment (see medical advice on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
CITRIC ACID			1-5%
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01- 2119457026-42-XXXX	
Classification			
Eye Irrit. 2 - H319			
2,2'-(OCTADEC-9-ENYLIMINO)	BISETHANOL		1-5%
CAS number: 25307-17-9	EC number: 246-807-3	REACH registration number: 01- 2119510876-35-XXXX	
M factor (Acute) = 10	M factor (Chronic) = 1		
Classification			
Acute Tox. 4 - H302			
Skin Corr. 1A - H314			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
ETHANOL			<1%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX	
Classification			
Flam. Liq. 2 - H225			

TOLUENE	<1%
CAS number: 108-88-3	EC number: 203-625-9
Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304	
The full text for all hazard state	ements is displayed in Section 16.
SECTION 4: First aid measure	35
4.1. Description of first aid me	asures
Inhalation	Due to the physical nature of this product, exposure by this route is unlikely.
Ingestion	Give plenty of water to drink. Give milk instead of water if readily available. Get medical attention if a large quantity has been ingested. If in doubt, get medical attention promptly.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	The product is not believed to present a hazard due to its physical nature.
Ingestion	May cause discomfort.
Skin contact	May cause skin irritation.
Eye contact	Causes serious eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	None known.
Hazardous combustion products	Irritating gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours.

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes and prolonged skin contact. Do not touch or walk into spilled material.
	Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Discharge of small quantities to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage 7.1. Precautions for safe handling Usage precautions Avoid contact with eyes and prolonged skin contact. Advice on general Wash hands thoroughly after handling. occupational hygiene 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Keep only in the original container. Keep container tightly sealed when not in use. Storage class Chemical storage. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information. SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

CITRIC ACID

Long-term exposure limit (8-hour TWA): 4 mg/m³ Short-term exposure limit (15-minute): 10 mg/m³

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ Short-term exposure limit (15-minute): WEL

TOLUENE

Long-term exposure limit (8-hour TWA): WEL 50 ppm(Sk) 191 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 574 mg/m3(Sk) WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber.
Hygiene measures	Wash contaminated skin thoroughly after handling.
Respiratory protection	No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Clear liquid.	
Colour	Blue.	
Odour	Citrus.	
рН	pH (concentrated solution): 2.0-3.5	
Flash point	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Relative density	~ 1.00	
Solubility(ies)	Soluble in water.	
Auto-ignition temperature	Not applicable.	
Viscosity	700 - 1500 cP @ 20°C Slightly viscous.	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Refractive index	4 - 6	
Volatile organic compound	This product contains a maximum VOC content of <1 %.	
SECTION 10: Stability and read	activity	
10.1. Reactivity		
Reactivity	The reactivity data for this product will be typical of those for the following class of materials: Acids - organic.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid contact with strong alkalis.	
10.5. Incompatible materials Materials	Do not mix with other cleaning products.	
וזומנטוומוט נט מזטוע	be not mix with other oleaning products.	

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.	
SECTION 11: Toxicological inf	formation	
11.1. Information on toxicologi	cal effects	
Toxicological effects	Information given is based on data of the components and of similar products.	
Acute toxicity - oral		
ATE oral (mg/kg)	27,777.78	
Skin corrosion/irritation		
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation		
Serious eye damage/irritation	Causes serious eye irritation.	
SECTION 12: Ecological inform	nation	
Ecotoxicity	The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.	
12.1. Toxicity		
Toxicity	Harmful to Aquatic Organisms	
12.2. Persistence and degrada	ability	
Persistence and degradability	The product is biodegradable.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	The product is not bioaccumulating.	
12.4. Mobility in soil		
Mobility	The product is miscible with water and may spread in water systems.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
General information	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).	
Guidance	EH40/2005 Workplace exposure limits Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended) Health and Safety Executive	

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	23/02/2021
Revision	13
Supersedes date	16/03/2020
SDS number	10403

Hazard statements in full	H225 Highly flammable liquid and vapour.
	H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H319 Causes serious eye irritation.
	H336 May cause drowsiness or dizziness.
	H361d Suspected of damaging the unborn child.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.